Schedule - I

Format for declaring capacity of Pipeline

1. Name of Entity: Hindustan Petroleum Corporation Limited

2. Name of Pipeline: Rewari Kanpur Pipeline

3. Details of Capacity of Pipeline (as per table below):

Name of	Capacity approved by		Break up of capacity for period 2025-26* (MMT)				
Section	PNGRB						
	Total	Common	Own	Firmed-up contracted		Common Carrier	
	including	Carrier	Requirement	capacity with other		Capacity with other	
	common	(MMT)		entities for a period of		entities for a period of	
	carrier			at least one year		less than one year	
	(MMT)			Contracted	Available	Contracted	Available
Rewari –	7.980	1.596	6.384	NIL	NIL	NIL	1.596
Kanpur							

^{*}Data as on 08.04.2025

4. Number of entry points on the pipeline route: 1

5. Location of entry points: RKPL Rewari

6. Number of exit points: 3

7. Location of exit points:

HPCL Bharatpur

HPCL Mathura

• HPCL Kanpur

8. Technical Parameters:

a) Inlet pressure at entry point: 6 - 9 kg/cm2

b) Grade band at entry point: MS meeting IS 2796, HSD meeting IS 1460, SKO meeting 1459

c) Temperature: 0 - 50 DegC

d) Other Elements as per Schedule -II:

9. Any demand pending with the transporter for common carrier usage of the pipeline along with duration of such pendency: Nil

10. Preference on entry and exit points: MDPL Mundra for entry point. No preference for exist point.

Schedule – II

Petroleum Products Physical Characteristics Specifications

a) For Motor Spirit (EURO-VI)		b) For High-Speed Diesel (EURO-VI)		
Parameter	Limit	Parameter	Limit	
Sulphur	10	Density @ 15DegC,	810 – 845	
(Maximum ppmw)		KG/M3		
Research Octane	91	Sulphur, PPM	10	
Number (RON)		(Maximum)		
(Minimum)				
Aromatics, Vol%	35	Cetane No. (Minimum)	51	
(Maximum)				
Olefins, Vol%	21	Water Content (% by	0.02	
(Maximum)		Vol) (Maximum)		
Motor Octane Number	81	Polycyclic Aroatic	8	
(MoN)		Hydrocarbon (PAH)		
(Minimum)		wt(%)		
Reid Vapour Pressure	60			
(RVP)				
(kPa) (Maximum)				

c) For other Petroleum Products							
Products	Specific Gravity (at	Viscosity (CST)	Vapour Pressure				
	15DegC)		(kg/cm2)				
Liquified Petroleum	NA						
Gas (LPG)							
Superior Kerosene Oil	NA (refer IS 1459:2018)						
(SKO)							
Aviation Turbine Fuel	NA						
(ATF)							
Naptha	NA						